









Adatų pramoninėms siuvimo mašinoms kainoraštis (2017 m.)


Canu	Sistema	Kaina / vnt., € *	
03:36	B-27, DCx27 Nm: 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130, 140	0,18	
03:36EB	B-27 SES, DCx27 SES Nm: 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130	0,18	
03:36FB	B-27 SUK, DCx27 SUK Nm: 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130	0,18	
03:36MA	B-27 SPI, DCx27 SPI Nm: 60, 65, 70, 75, 80, 90	0,18	
03:69	B-29, RMX29 Nm: 70, 75, 80, 85, 90, 100, 110, 120, 130	0,23	
03:69EB	B-29 SES, RMX29 SES Nm: 70, 75, 80, 85, 90, 100, 110	0,23	



03:69FB	B-29 SUK, RMX29 SUK Nm: 70, 75, 80, 85, 90, 100, 110, 120	0,23	
04:45	1128, 88X1, DAX1 Nm: 65, 70, 80, 90, 100, 110, 120, 140	0,10	
04:45EB	1128 SES, 88X1 SES, DAX1 SES Nm: 80, 90	0,10	
04:45FB	1128 SUK, 88X1 SUK, DAX1 SUK Nm: 65, 70, 80	0,10	
06:60EB	UY 154 GAS SES Nm: 60, 65, 70, 75, 80, 90, 100, 110	0,56	
06:60FB	UY 154 GHS (GJS) Nm: 55, 60, 65, 70, 75, 80, 90, 100, 110	0,56	
06:62EB	UY 8454 GAS SES, UNX154 Nm: 70, 80	0,87	
08:28	501 (SC), EBX755 Nm: 80, 90, 100, 110, 120, 130	0,18	
08:28EB	501 SES, EBX755 SES Nm: 100, 110, 120	0,18	
08:28FB	501 SUK, EBX755 SUK Nm: 100, 110, 120	0,18	
08:30	750 (SC), EBX750 Nm: 70, 75, 80, 90, 100, 110, 120	0,27	
08:30EB	750 SES, EBX750 SES Nm: 70, 75, 80, 90, 100	0,27	
08:30FB	750 SUK, EBX750 SUK Nm: 70, 75, 80, 90	0,27	
08:48BA2	4118, SMX4118 Nm: 100	1,15	
08:65MA	459 R, 1567, EBX1567 Nm: 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 90, 100, 110, 120	0,21	



09:02	B-155, BBX155 Nm: 90, 100, 110, 120, 130	0,31	
09:27UA	3207 CR, SMX3207 CR Nm: 80, 90, 100, 110, 120, 130	0,27	
12:05	34 (R), 287, 16X1, TFX1 Nm: 65, 70, 75, 80, 90, 100, 110	0,10	
13:22	287WK H, DBX287 WKH Nm: 65, 70, 75, 80, 90, 100, 110	0,16	
13:80	DBXK5 Nm: 65, 70, 75, 80, 85, 90, 100	0,10	
13:80EB	DBXK5 SES Nm: 65, 70, 75, 80, 90	0,10	
13:80FB	DBXK5 SUK Nm: 65, 70, 75, 80, 90	0,10	
13:80MA	DBXK5 SPI Nm: 70, 75, 80, 90	0,10	
14:20	287 WH, 1738 A, 16X95, 71X1 Nm: 120, 125, 130, 140, 160	0,10	
14:25	DBX1, 16X231, 287WH, 1738 (A) Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110	0,10	
14:25EB	DBX1 SES, 16X231 SES, 287WH SES, 1738 (A) SES Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110	0,10	



14:25FB	DBX1 SUK, 16X231 SUK, 287WH SUK, 1738 (A) SUK Nm: 55, 60, 65, 70, 75, 80, 85, 90, 100, 110	0,10	
14:25MA	DBX1 SPI, 16X231 SPI, 287WH SPI, 1738 (A) SPI Nm: 65, 70, 75, 80, 90	0,10	
14:70	SY 1610, 52 x 7 Nm: 100	0,37	
17:10	727 F, 130X3, DFX3 Dydžiai: 80, 90, 100	0,42	
18:58	558, DOX558 Nm: 80, 90, 100, 110, 120	0,23	
18:58EB	558 SES, DOX558 SES Nm: 110, 120	0,23	
18:58MA	558 SPI, DOX558 SPI Nm: 80, 90, 100	0,23	
18:59EB	579 SES Nm: 90	0,23	
18:60	134 KK, B-134, PFX134 KK Nm: 70, 80, 90, 100, 110	0,10	
18:60EB	134 KK SES, B-134 SES, PFX134 KK SES Nm: 70, 80	0,10	
18:60FB	134 KK SUK, B-134 SUK, PFX134 KK SUK Dydžiai: 70, 80, 90	0,10	
19:23	265, 438, DPX438 Nm: 65, 70, 75, 80, 90, 100, 110, 120	0,18	
19:24EB	265-50 EO, 438-80 EO, DPX265 Nm: 65, 70, 80, 90, 100, 110	0,21	



19:25	134 K, 556 KH, 797 KH, PFX134 K Nm: 70, 80, 90, 100	0.18	
19:25EB	134 K SES, 556 KH SES, 797 KH SES, PFX134 K SES Nm: 80, 90	0.18	
20:05	134(R), 135X5, SY 1955, DPX5 Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140, 150, 160, 180, 200	0,10	
20:0517	134 (R) SERV7, 135X5 SERV7, DPX5 SERV7 Nm: 65, 70, 75, 80, 90, 100, 110	0.10	
20:05AS	134 LL, 135X8, PFX134 LL Nm: 90, 100	0.18	
20:05AX	134 LR, 134 K LR, 135X8 R TW, PFX134 LR Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140, 150, 160, 170, 180, 200	0.18	
20:05EB	134 SES, 135X5 SES, DBX1 SES, DPx5 SES Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140	0,10	
20:05FB	134 SUK, 135X5 SUK, DPX1 SUK, DPX5 SUK Nm: 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140	0.1	
20:05MA	134 SPI, 135X5 SPI, DPx5 SPI Nm: 60, 65, 70, 75, 80, 90, 100, 110	0,10	



23:06	UY 180 GAS Nm: 100, 110	0,18	
23:10	29-D EA, 29-C-150, 150, CPX1 Nm: 80, 90, 100, 110	0,27	
23:83CC	29-BD, 29-13, 1717 TP Nm: 80, 90, 100, 110	0,87	
23:86CC	1717 SRUE Nm: 80, 90, 100, 110	0,73	
24:07	362111, UY 36211 Nm: 60, 65, 70, 75	0,18	
24:07EB	362111 EB, UY 36211 EB Nm: 65, 70	0,18	
24:08	UY 118 GAS, FLX118 A Nm: 60, 65, 70, 75, 80	0,35	
24:08EB	UY 118 GAS SES, FLX118 A SES Nm: 60, 65, 70, 75, 80	0,35	
24:09	UY 118 GBS, FLX118 GBS Nm: 65, 70, 75, 80, 90	0,31	
24:09EB	UY 118 GBS SES, FLX118 GBS SES Nm: 65, 70, 75, 80	0,31	
24:09FB	UY 118 GHS, FLX118 GHS Nm: 75, 80	0,31	
24:10	UY 118 GKS Nm: 65, 70, 75, 80	0,35	
24:10EB	UY 118 GKS SES Nm: 60, 65, 70, 75, 80	0,35	


26:30	B-64, TVX64 Nm: 70, 75, 80, 90, 100, 110, 120, 130	0,18	
26:30EB	B-64 SES, TVX64 SES Nm: 70, 80, 90, 100, 110, 120, 130	0,18	
26:30FB	B-64 SUK, TVX64 SUK Nm: 70, 80, 90, 100, 130	0,18	
26:65	UY 113 GS, UOX113 GS Nm: 70, 75, 80, 90, 100, 110, 120, 125, 130, 140	0,31	
26:65EB	UY 113 GS SES, UY 113 GHS, UOX113 GS SES Nm: 70, 75, 80, 90, 100, 110, 125	0,31	
26:65FB	UY 113 GS SUK, UOX113 GS SUK Dydžiai: 70, 75, 80, 90, 100, 110	0,31	
27:41EB	934 SES, TVX934 SES Nm: 80, 90, 100, 110, 120	0,23	
27:41MA	934 SPI Nm: 80, 90, 100	0,23	
27:50	149X7, 149X25, TVX7, TVX25, SY 2776, SY 2793 Nm: 70, 75, 80, 90, 100, 110, 120, 125, 130, 140	0,23	
27:50EB	149X7 SES, TVX7 SES Nm: 70, 75, 80, 90	0.23	




27:53OC	660 Nm: 80, 90, 100, 110, 120, 130, 150	1.02	
27:55BA	29-BB, 1717 DC, 1828 E, LWX7 T Nm: 80, 90	1.15	
27:60	29-D HA, 29-C-151, 151 S, CPX12 Nm: 80, 90, 100, 110, 120, 130	1,02	 A dark blue Schmetz needle pack. The top features the Schmetz logo (a lion) and the text 'SCHMETZ NEEDLES SINCE 1851 Herzogenrath Germany'. Below this, a white label lists: '10', 'CANU: 27:60 1', 'NM: 90 SIZE: 14', '29-DHA', '29-C-151', '151 S', 'CPX12', and 'MADE IN GERMANY 09/11'.
27:90JB	29-S, 1985, 175X1, TQx1 Nm: 70, 75, 80, 85, 90, 100, 110, 120, 125, 130	0,14	 A dark blue Schmetz needle pack. The top features the Schmetz logo and the text 'SCHMETZ Canu: 27:90JB1 NM:100 SIZE:16'. Below this, it lists: '29-S', '1985', '175x1', 'TQx1', and 'Made by Schmetz'.
30:62	UY 163 GAS, UY 8021 GS, UOX163 GAS Nm: 65, 70, 75, 80, 90	0,27	
30:62EB	UY 163 GAS SES, UY 8021 GS SES, UOX163 GAS SES Nm: 70, 75, 80, 90	0,27	
30:62FB	UY 163 GAS SUK, UY 8021 GS SUK, UOX163 GAS SUK Nm: 70, 75, 80, 90	0,27	




32:01	134-35 KK, 2134-34 KK Nm: 90, 100, 110, 120	0,16	
32:05JB	134-35 K, DPX35 K Nm: 80, 90, 100, 110, 120	0,18	
32:10	134-35 (R), 2134-35, DPX35, SY 7225 Nm: 70, 75, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 200	0,16	
32:1017	134-35 SERV 7, 2134-35 SERV 7, DPX35 SERV 7 Nm: 70, 75, 80, 90, 100, 110, 120, 130, 140	0,16	
32:10AX	134-35 LR, 2134-35 LR, DPX-35 LR Nm: 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 200	0,18	
32:10EB	134-35 SES, 2134-35 SES, DPX35 SES Nm: 70, 80, 90, 100, 110, 120, 130	0,16	
32:10FB	134-35 SUK, 2134-35 SUK, DPX35 SUK Nm: 70, 80, 90, 100, 110, 120, 130	0,16	
32:10MA	134-35 SPI, DPX35 SPI Nm: 80, 90, 100, 110	0,16	
32:10MF	134-35 D, DPX-35 D Nm: 90, 100, 110, 120, 130, 140, 150, 160, 180, 200	0,18	


32:14	2134-85, DPx85 Nm: 90, 100, 110, 120, 130	0,18	
33:20DB	3550 Nm: 120, 130, 140	1.02	
33:30	5640, 62X57, SY 3260, DVX57 Nm: 70, 80, 90, 100, 110, 120, 125, 130, 140, 160, 180	0,31	
33:30EB	5640 SES, 62X57 SES, SY 3260-06, DVX57 SES Nm: 100, 110, 120, 130, 140	0,31	
33:30FB	5640 SUK, 62X57 SUK, SY 3260-07, DVX57 SUK Nm: 110, 120, 130	0,31	
33:50CC	1669 E EO, 3669 E, LWX1669 E Nm: 60, 70, 75, 80, 90, 100	0,73	
34:21EB	MY 1014 H Nm: 65, 70, 75, 80, 90	0,31	
34:22	MY 1014 B, SMX1014 B Nm: 65, 70, 75, 80, 90	0,31	
34:22EB	MY 1014 B SES, SMX1014 B SES Nm: 70, 75, 80	0,31	
35:15	332 (R), 29X3 Nm: 90, 100, 110, 120, 130, 140	0.14	

35:40	B-63, DVX63 Nm: 60, 65, 70, 80, 85, 90, 100, 110, 120, 130	0,18	
35:40EB	B-63 SES, UY 121 GXS, DVX63 SES Nm: 60, 65, 70, 75, 80, 90, 100, 110, 120	0,18	
35:40FB	B-63 SUK, DVX63 SUK Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110	0,18	
35:45	4463-35, UOX4463-35 Nm: 80, 90, 100, 110, 120	0,27	
37:20	135x17, SY 3355, DPx17 Nm: 65, 70, 75, 80, 90, 100, 110, 120, 125, 130, 140, 160, 180, 200	0,14	
37:20AX	135X16 R TW, DPX16 LR Nm: 110, 120, 130, 140, 160	0,23	
37:20EB	135X17 SES, DPX17 SES Nm: 70, 80, 90, 100, 110, 120, 125, 130, 140	0,14	
37:20FB	135X17 SUK, DPX17 SUK Nm: 80, 90, 100, 110, 120, 130, 140	0,14	
37:20KJ	135X16 DIA, DPX16 DIA Nm: 110, 125, 130, 140, 160, 180, 200	0,23	
37:40	UY 133 GS, UYX133 GS Nm: 100, 110, 125, 140	0,35	
37:90EB	1280 KSP SES, 1280 KSP-2, UY 121 GJS Nm: 65, 70, 75, 80	0,27	

37:90FB	1280 KSP SUK, 1280 KSP-2 SUK, UY 121 GJS SUK Nm: 70	0,27	
37:92EB	UY 121 GWS Nm: 70	0,14	
37:92FB	UY 121 GUS Nm: 65, 70, 75, 80, 90	0,14	
38:00	UY 128 GAS, 1280, 149X3, TVX3 Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140, 150, 170	0,27	
38:00EB	UY 128 GAS SES, 1280 SES, 149X3 SES, TVX3 SES Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140	0,27	
38:00FB	UY 128 GBS, 1280 SUK, 149X3 SUK, TVX3 SUK Nm: 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 125, 130, 140, 150	0,27	
38:31	UY 130GS, UOX130 G Nm: 110, 125, 140, 150	0,31	
38:47	971 B/1, DVX971 B Nm: 90, 100, 110	0,42	
39:66CC	251 EU, 1669, LWX251 EU Nm: 60, 65, 70, 75, 80, 90, 100, 110	0,73	
39:70CC	29-CA, 251, LWX3 T, LWX4 T Nm: 60, 65, 70, 80, 90, 100, 110, 120	0,65	
40:81CA	468-3 C, SY 7390 Nm: 150	2,09	
43:45CC	29-BL, 29-49, 2140 TP, LWX6 T Nm: 60, 65, 70, 75, 80, 90, 100, 110	0,73	
43:75CC	251 LG, 300, 29-CB, LWX5 T Nm: 65, 70, 75, 80, 85, 90, 95, 100, 110	0,65	

44:31	62X45, 149X5, TVX5 Nm: 75, 80, 90, 100, 110, 120, 125, 130, 140, 160, 180	0,23	
44:34MA	933 Nm:90, 110, 130, ,160	0,23	
45:10NF	506 Q LG Nm: 150, 230	0,42	
45:13NG	14 SP Nm: 150	0,31	
45:22	780 C Nm: 90, 100, 110, 125	1,7	
45:47CC	1671 E EO Nm: 80, 90	1,15	
47:07MA	367 S, SY 7550 Nm: 100, 120, 140	0,37	

47:08MA	367 S LG, SY 7545 Nm: 90, 110, 120, 130	0,37	
47:20JB	190 K, MTX190 K, SY 7556 Nm: 80, 90, 100, 110, 120	0,18	
47:24FC	71 R Nm: 120	0,69	
47:24FD	71 L Nm: 120	0,69	
47:25	190 (R), MTX190, SY 7555 Nm: 70, 80, 90, 100, 110, 120, 125, 130, 140, 150, 160, 180, 200	0,18	
47:30JB	2091 KK, 175X7 KK, TQ-N14, SY 7585 Nm: 80, 90, 100, 110, 120	0,21	
47:42JB	2091, 175X7, TQX7 Nm: 70, 75, 80, 90, 100, 110, 120, 125, 130, 140	0,16	
48:10	88 HK, LAX88 Nm: 100, 120, 130, 150	0,21	

48:14	175 H, SY 7610 Nm: 100, 110, 120	0,21	
48:21	215 AH, LAX215, SY 7615 Nm: 110, 120, 130	0,18	
48:29JB	332 LGH KSP, SMX332 LG KSP Nm: 90, 100, 110, 120	0,18	
49:01FC	71 R Nm: 160	0,69	
49:01FD	71 L Nm: 160	0,69	
49:07	2331 F, 48.50, EBX2, SY 7661 Nm: 90, 100, 110, 120, 130	0,35	
50:03	SY 8160 Nm: 90, 110, 130	0,51	
50:06XA11	SY 8160 CL FEK Nm: 110, 130, 160	0,69	
50:06XA12	SY 8160 CL FEM Nm: 110, 130, 160	0,69	
50:09	328 FL-E, SY 4954 Nm: 110, 120, 130	0,47	
50:10	328, 214 x 1, DD x 1, SY 4950 Nm: 140, 160, 180, 200, 230, 250, 280	0,35	
50:10AX	328 LR, 428 LR, 214x2 R TW, DDX2 LR Nm: 140, 160, 180, 200, 230, 250	0,42	
52:14	332 EXT.LG, SMX332 EXT.LG Nm: 90, 100	0,37	
52:30MA	367 S EXT. LG Nm: 180	0,42	

52:37	DK 2500, SY 7713, SGX7713 Nm: 230	0,60	
52:50	2044, SY 7714, 1564, SY 8168 Nm: 100, 110, 120, 130	0,35	
53:20	794, 7X3, DYX3, SY 5213 Nm: 140, 160, 180, 200, 230, 250, 280	0,45	
53:20AX	794 LR, DYX3 LR Nm: 160, 180, 200, 230, 250	0,56	
53:70	Steppex Duplomat 2000 Nm: 130	0,58	
90:05	1032 B 1/38, SY 7875, DPN-1032 B 1/38 Nm: 100	1,39	

* Prie visų kainų + PVM.

** UAB Rudholmas pasilieka teisę keisti kainas atsižvelgiant į ne nuo jo priklausančias aplinkybes apie tai iš anksto informuodamas užsakovą.